


Atty. Docket No.: 3130-002-02		Application No.: 09/905,156				
Applicant:	WHITEHOUSE et al.					
Filing Date: July 13, 2001		Group Art Unit: 1712				
U.S. PATENT DOCUMENTS						
Examiner Initial*	Document Number	Date	Name	Class	Sub Class	Filing Date If Appropriate
PS	4,324,880	04/13/82	Dhein et al.	528	80	
PS	4,826,493	05/02/89	Martini et al.	604	327	
PS	4,876,331	10/24/89	Doi	528	361	
PS	4,880,592	11/14/89	Martini et al.	264	514	
PS	4,910,145	03/20/90	Holmes et al.	435	259	
PS	5,245,023	09/14/93	Peoples et al.	536	23.2	
PS	5,250,430	10/05/93	Peoples et al.	435	232	
PS	5,286,842	02/15/94	Kimura	528	354	
PS	5,292,860	03/08/94	Shiotani et al.	528	361	
PS	5,352,763	10/04/94	Yamaguchi et al.	528	361	
PS	5,461,139	10/24/95	Gonda et al.	528	361	
PS	5,480,794	01/02/96	Peoples et al.	435	232	
PS	5,512,669	04/30/96	Peoples et al.	536	23.2	
PS	5,516,883	05/14/96	Hori et al.	528	354	
PS	5,534,432	07/09/96	Peoples et al.	435	240.4	
PS	5,563,239	10/08/96	Hubbs et al.	528	361	
PS	5,665,831	09/09/97	Neuenschwander et al.	525	415	
PS	5,859,135	01/12/99	Doomen et al.	525	123	
PS	6,034,149	03/07/00	Bleys et al.	521	155	
PS	6,043,292	03/28/00	Huygens et al.	521	133	
PS	6,087,409	07/11/00	Naber et al.	521	155	
PS	6,087,410	07/11/00	Falke et al.	521	174	
PS	6,087,466	07/11/00	Murata et al.	528	83	
PS	6,228,969	05/08/01	Lee et al.	528	80	

RECEIVED
SEP 4 2002
TC 1700



Page 2 of 3

FOREIGN PATENT DOCUMENTS

	Document Number	Date	Country	Class	Sub Class	Translation Yes or No
PS	DE197 23 895 A1	12/10/98	WIPO			
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)						
PS	International Search Report dated June 27, 2002.					
PS	Abe et al., <i>Biosynthesis from gluconate of a random copolyester consisting of 3-hydroxy-butyrate and medium-chain-length 3-hydroxyalkanoates by Pseudomonas sp.</i> 61-3, <i>Int. J. Biol. Macromol.</i> , Vol. 16, pp. 36, 38, 40, (1994)					
PS	Amos et al., <i>Composition of poly-β-hydroxyalkanoate from Syntrophomonas wolfei grown on unsaturated fatty acid substrates</i> , <i>Archives of Microbiology</i> , pp. 103-105, (1991)					
PS	Borgne et al., <i>Stereoselective polymerization of β-butyrolactone</i> , <i>Polymer</i> , Vol. 30, pp. 2312-2319, (December 1989)					
PS	Brandl et al., <i>Ability of the phototrophic bacterium Rhodospirillum rubrum to produce various poly (β-hydroxyalkanoates): potential sources for biodegradable polyesters</i> , <i>Int. J. Biol. Macromol.</i> , Vol. 11, pp. 49-55, (1989)					
PS	Byrom, D. <i>Miscellaneous Biomaterials</i> , ICI BioProducts and Fine Chemicals, pp. 335-359.					
PS	de Smet et al., <i>Characterization of Intracellular Inclusions Formed by Pseudomonas oleovorans During Growth on Octane</i> , <i>Journal of Bacteriology</i> , p. 870-878 (May 1983)					
PS	Dubois et al., <i>Macromolecular Engineering of Polylactones and Polylactides</i> , <i>Macromolecules</i> , pp. 4407-4412, (1993)					
PS	Gross et al., <i>Polymerization of β-Monosubstituted-β-propiolactones Using Trialkylaluminum-Water Catalytic Systems and Polymer Characterization</i> , <i>Macromolecules</i> , pp. 2657-2668, (1988)					
PS	Hocking et al., <i>Biopolymers</i> , pp. 48-96.					
PS	Hocking et al., <i>Syndiotactic poly[(R,S)-β-hydroxybutyrate] isolated from methylaluminoxane-catalyzed polymerization</i> , <i>Polymer Bulletin</i> , Vol. 30, pp. 163-170 (1993)					
PS	Hori et al., <i>Ring-Opening Copolymerization of Optically Active β-Butyrolactone with Several Lactones Catalyzed by Distannoxane Complexes: Synthesis of New Biodegradable Polyesters</i> , <i>Macromolecules</i> , Vol. 26, pp. 4388-4390 (1993)					
PS	Hori et al., <i>Ring-Opening Polymerization of Optically Active β-Butyrolactone Using Distannoxane Catalysts: Synthesis of High Molecular Weight Poly(3-hydroxybutyrate)</i> , <i>Macromolecules</i> , Vol. 26, pp. 5533-5534 (1993)					
PS	Jesudason et al., <i>Synthetic Poly[(R,S)-β-hydroxyalkanoates] with Butyl and Hexyl Side Chains</i> , <i>Macromolecules</i> , Vol. 27, pp. 2595-2602 (1994)					



Page 3 of 3

PS	Kato et al., <i>Production of a novel copolyester of 3-hydroxybutyric acid and medium-chain-length 3-hydroxyalkanoic acids by Pseudomonas sp. 61-3 from sugars</i> , <i>Applied Microbiology and Biotechnology</i> , pp. 363-370, (1996)
PS	Kemnitzer, <i>Preparation of Predominantly Syndiotactic Poly (β-hydroxybutyrate) by the Tributyltin Methoxide Catalyzed Ring-Opening Polymerization of Racemic β-Butyrolactone</i> , <i>Macromolecules</i> , Vol. 26, pp. 1221-1229 (1993)
PS	Kharas et al., <i>Polymers of Lactic Acid</i> 94-137 (No date available)
PS	Lafferty et al., <i>Microbial Production of Poly-β-hydroxybutyric Acid</i> , Chapter 6, pp. 137-176.
PS	Lee et al., <i>Biosynthesis of copolymers consisting of 3-hydroxybutyric acid and medium-chain-length 3-hydroxyalkanoic acids from 1,3-butanediol or from 3-hydroxybutyrate by Pseudomonas sp. A33</i> , <i>Applied Microbiology and Biotechnology</i> , pp. 901-909, (1995)
PS	Muller et al., <i>Poly(hydroxyalkanoates): A Fifth Class of Physiologically Important Organic Biopolymers?</i> , <i>Angew. Chem. Int. Ed. Engl.</i> , Vol. 32, pp. 477-502 (1993)
PS	Reports on Progress in Polymer Physics in Japan, Vol. 37, pp.128-129 (1994)
PS	Steinbuchel et al., <i>A Pseudomonas strain accumulating polyesters of 3-hydroxybutyric acid and medium-chain-length 3-hydroxyalkanoic acids</i> <i>Applied Microbiology and Biotechnology</i> , pp. 691-697 (1992)
PS	Tanahashi et al., <i>Thermal Properties and Stereoregularity of Poly(3-hydroxybutyrate) Prepared from Optically Active β-Butyrolactone with a Zinc-Based Catalyst</i> , <i>Macromolecules</i> , Vol. 24, pp. 5732-5733 (1991)
PS	Valentin et al., <i>Identification of 4-hydroxyhexanoic acid as a new constituent of biosynthetic polyhydroxyalkanoic acids from bacteria</i> , <i>Applied Microbiology and Biotechnology</i> , pp. 710-716, (1994)
PS	Valentin et al., <i>Identification of 4-hydroxyvaleric acid as a constituent of biosynthetic polyhydroxyalkanoic acids from bacteria</i> , <i>Applied Microbiology and Biotechnology</i> , pp. 507-514, (1992)
PS	Valentin et al., <i>Identification of 5-hydroxyhexanoic acid, 4-hydroxyheptanoic acid and 4-hydroxyoctanoic acid as new constituents of bacterial polyhydroxyalkanoic acids</i> , <i>Applied Microbiology and Biotechnology</i> , pp. 261-267, (1996)
PS	Wallen et al., <i>Poly-β-hydroxyalkanoate from Activated Sludge</i> , <i>Environmental Science & Technology</i> , Vol. 8, pp. 576-579, (June 1974)
PS	Xie et al., <i>Ring-Opening Polymerization of β-Butyrolactone by Thermophilic Lipases</i> , <i>Macromolecules</i> , Vol. 30, pp. 6997-6998 (1997)
Examiner	PS
	Date Considered
*Examiner:	Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.
Form PTO 1449	Patent and Trademark Office - U.S. Department of Commerce

RECEIVED
SEP 4 2002
C 100
2002